| Ref # | Hit | s Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-----------|-----------|--|---|---------------------|---------|------------------|
| L1 | 168 | 5 451/5.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:33 |
| L2 | 33 | 5 b24b005/42.ipc. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 13:17 |
| L3 | 54 | "451"/\$.ccls. and (camshaft camshafts crankshaft crankshafts) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:21 |
| L4 | 2 | "451"/\$.ccls. and ((camshaft camshafts crankshaft crankshafts) with (lap laps lapping)) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:25 |
| L5 | 6 | (lapping polishing) with (tape film) with (shoe shoes) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:10 |
| L6 | 7 | 6 451/134.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:34 |
| L7 | 16 | 4 451/140.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:40 |
| L8 | 53 | 5 451/143.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:45 |
| L9 | 19 | | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:49 |
| L10 | 58 | 451/303.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:55 |
| L11 | 37 | 451/307.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 14:59 |
| L12 | 45 | 451/307.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 15:00 |
| L13 | 25 | 12 and position | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 15:01 |
| L14 | 4 | 12 and (position with (sense senses sensor angular detect detects detection detecting)) | 7.0 | OR | OFF | 2005/05/02 15:12 |

| L15 | 686 | (1 6 7 8 9 10 11) and (position with (sense senses sensor angular detect detects detection detecting)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 16:09 |
|------------|--------|--|---|----|-----|------------------|
| L16 | 178 | ((control controls controlling) with (press pressing pressure)) and 15 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 16:08 |
| L17 | 571184 | ((control controls controlling) with (press pressing pressure)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 16:24 |
| L18 | 23446 | 17 same (position with (sense senses sensor angular detect detects detection detecting)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 16:31 |
| L19 | 81 | (lapping polishing) with (tape film) same (shoe shoes) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:11 |
| L20 | 5 | 18 same 19 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:10 |
| L21 | 5 | 18 and 19 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:10 |
| L22 | 174 | (lapping polishing) with (tape film) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:12 |
| L23 | 146 | (lapping polishing) with (tape film) same 17 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:21 |
| L24 | 9 | 23 and (shoe shoes) | US-PGPUB: USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:12 |
| L25 | 1432 | ((oil lubrication) near2 (hole holes port ports opening openings)) same (camshaft camshafts crankshaft crankshafts) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:16 |
| L26 | 16 | 25 same (lap laps lapping polish polishing polishes) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:15 |
| L27 | 96 | ((oil lubrication) near2 (hole holes port ports opening openings)) with (journal jouranls) same (camshaft camshafts crankshaft crankshafts) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:17 |
| L28 | 1774 | 18 and (camshaft camshafts crankshaft crankshafts) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:21 |

| L29 | 2 | (lapping polishing) with (tape film) and 28 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:22 |
|------|-----------------|---|---|------|-----|------------------|
| L30 | 9 | (lapping polishing) and 28 | US-PGPUB; USPAT; EPO; JPO | OR • | OFF | 2005/05/02 16:22 |
| L31 | 15 | (US-20040166776-\$ or US-20040157530-\$).did. or (US-6383063-\$ or US-4833834-\$ or US-6354920-\$ or US-5616070-\$ or US-5251404-\$ or US-5193314-\$). did. or (EP-1447172-\$ or EP-1447171-\$ or EP-1447170-\$ or FR-2825652-\$ or EP-997229-\$).did. or (JP-2004243483-\$ or JP-08257889-\$).did. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:23 |
| L32 | 3 | 17 and 31 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:24 |
| L33 | 970965 | ((control controls controlling) same (press pressing pressure)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 16:24 |
| L34 | \(\frac{1}{2}\) | 33 and 31 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 16:24 |
| L35 | 6 | 31 and (position with (sense senses sensor angular detect detects detection detecting)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 17:43 |
| L36_ | 4 | 31 and (oscillate oscillates oscillation) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/05/02 17:43 |
| L37 | 1 | "6220946".pn. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/05/02 17:55 |